

Product pictured is not the exact style of the product studied in this document.

Ology

Product Environmental Profile is an environmental declaration according to the objectives of ISO 14021. Precise, accurate, verifiable and relevant information on sustainability attributes of Ology.

Ology is a desking family comprised of height adjustability options, work surfaces, desk organisation options and cable management. Ology offers various ergonomic and antimicrobial treatment options to create a more health-conscious work environment.

The model chosen for analysis is the most representative line (reference N111012700) from the Ology range. Standard features on this model include:

- 1600 x 800 mm top size
- 740 mm height
- facility manager sliding top function
- cable brackets

This EPD – Environmental Product Declaration – is valid for the above reference.

Date of critical review: 04/2014

Steelcase

EPD Overview

Final Assembly Location

Final assembly of Ology is in Rosenheim, Germany by Steelcase, for the EMEA (Europe, Middle East and Africa) market.

Goal and Scope

The potential environmental impacts of Ology (incl. packaging) throughout its entire life cycle – including raw materials extraction, production, transport, use, and end of life – were assessed using Life Cycle Assessment (LCA – ISO 14040 t/ 14044) in 04/2014.

Life Cycle Inventory

- · list of materials
- inventory of resources
- inventory of emissions

Life Cycle Impact Assessment

• environmental impacts

Product Environmental Profile (PEP)

Verification Process And References

Contact

Goal and Scope

The measurements found during the life cycle assessment help to guide best practice decisions and are the starting point for continuous improvement.

Both method and product may be subject to modifications, and the figures are subject to change without notice.

At Steelcase, our goal is to continuously improve the environmental performance of our products, and to consider each phase of the life cycle. Our findings in one product life cycle assessment may also lead to better decisions or best practices for other product lines.

The potential environmental impacts of Ology (incl. packaging) throughout its entire life cycle – including raw materials extraction, production, transport, use, and end of life – were assessed using Life Cycle Assessment (LCA – ISO 14040 / 14044) in 04/2014.

Materials

This phase includes materials extraction and processing into useable materials. Benefits of recycled materials are considered here.

Production

This phase consists of all manufacturing and assembly taking place at Steelcase or their suppliers and sub-suppliers.

Transport

Upstream and downstream transports are considered, from materials extraction until handling for end-of life.

Use

The use phase is when the finished product is in its intended function – no significant environmental impacts occur.

End of life

End-of-life product recyclability and local waste management infrastructure are considered. Benefits from recycling are not considered in this phase to avoid double counting.

The functional unit – i.e. the quantified performance of the product for use as a reference unit – used in the Life Cycle Assessment was chosen as "provision of comfortable office working – with the features stated in the product description – for 8 hours a day, 5 days a week, over 15 years."

Environmental declarations may not be effectively comparable if evaluated against other products, or if the LCA methods were completed by different practitioners using different models.

Life Cycle Inventory

Ology materials composition is listed below*.



WOOD BASED MATERIALS

	kg	%
Particle board	19.6	48
Melamine	0.2	0.5



METALS

	kg	
Steel	17.5	42.9
Stainless steel	<0.1	<0.1



PLASTICS

	kg	%
Nylon 6 with glass beads (PA6-GB)	0.7	1.8
Polypropylene (PP)	0.3	0.8
Polyoxymethylene (POM)	<0.1	0.1
Nylon 6 (PA6)	<0.1	<0.1



OTHER MATERIALS

	kg	%
Powder coating	0.2	0.4



PACKAGING

	kg	%
Low density polyethylene (LDPE)	0.7	1.6
Expanded polyethylene (EPE)	0.3	0.7
Cardboard	1.3	3.2

TOTAL WEIGHT – incl. packaging 40.9

^{*}The list of materials does not contain all materials used in the product (adhesives, coatings, residuals, etc.).

RESOURCES

This table inventories the most important energy and water consumption throughout the entire life cycle of Ology.

RENEWABLE ENERGY	
	MJ
Biomass	610
Hydropower	49
Wind	5.5
NON-RENEWABLE ENERGY	
	MJ
Gas	500
Oil	460
Coal	370
WATER	
	m³
Water withdrawal	2.4

EMISSIONS

This table inventories the most important emissions to air, soil and water throughout the entire life cycle of Ology.

EMISSIONS TO AIR		
	kg	
CO ₂ - Carbon dioxide (fossil)	90	
CO ₂ - Carbon dioxide (biogenic)	28	
CO – Carbon monoxide (fossil)	0.49	
CH ₄ - Methane (fossil)	0.25	
NO _x - Nitrogen oxides	0.25	
SO ₂ – Sulfur dioxide	0.17	
Cl ⁻ – Chloride	0.036	
	kg	
Oils	0.026	
Na – Sodium	0.012	
EMISSIONS TO WATER		
	ka	
	kg	
Cl· – Chloride	kg 3.1	
Cl ⁻ - Chloride SO ₄ ²⁻ - Sulfate		

Life Cycle Impact Assessment

Based on the Life Cycle Inventory, the environmental impacts of Ology are assessed with the following impact categories:

Impact categories (selected by Steelcase)

• Global warming [kg CO₂-eq.]

Is due to emissions of greenhouse gases, causing the rise of the global temperature.

• Respiratory inorganics [kg PM2.5*-eq.]

Are due to small particles or dust that causes respiratory problems for humans with asthma or respiratory diseases.

*Particulate matter smaller than 2.5 micrometres in diameter.

• Carcinogens [kg C₂H₃Cl-eq.]

Describe substances or agents which may contribute to cancer.

• Terrestrial ecotoxicity [kg TEG* soil]

Measures the ecotoxicological factor for terrestrial ecosystems.

*Triethylene glycol

Non-renewable energy [MJ primary]

Describes finite resources that will eventually dwindle, becoming too expensive or too environmentally damaging to extract.

Distribution of the environmental impacts for the respective life cycle stages:

The figures in this table are rounded up because the potential uncertainties don't justify the use of more than two significant digits.

Impact category	Unit	Total	Materials	Production	Transport	Use	End of life
Global warming	[kg CO ₂ -eq.]	95	44	37	11	No significant environmental impacts occur.	3.0
Respiratory inorganics	[kg PM2.5-eq.]	0.091	0.052	0.024	0.014		0.0016
Carcinogens	[kg C ₂ H ₃ Cl-eq.]	3.7	3.0	0.46	0.084		0.21
Terrestrial ecotoxicity	[kg TEG soil]	3200	1600	1200	430		16
Non-renewable energy	[MJ primary]	1800	830	780	190		12

Product Environmental Profile (PEP)

For more information

Our Product Environmental Profile (PEP) – an environmental declaration according to the objective of ISO 14021 – can be found on **Steelcase.com**

The PEP provides precise, accurate, verifiable and relevant information on the sustainability aspects of Ology, including:

- · Life cycle performance
- Materials
- · Recycled materials and recyclability
- Certificates
- LEED contribution

Verification Process and References

The LCA study of Ology (code: N111012700) was carried out by Steelcase, according to ISO 14040 / 14044 and based on previous collaboration with the Technical University of Denmark (DTU) and Quantis. It was then critically reviewed by Michael Hauschild from the Department of Management Engineering of the DTU.

The independent verification of this EPD was carried out by the Department of Management Engineering of the DTU in accordance with ISO 14025.

Disclaimer: In the absence of a relevant Product Category Rule (PCR), Steelcase developed a set of specific rules, requirements and guidelines to perform life cycle assessments and Type III environmental declarations, according to the objectives of ISO 14025.

References

Related ISO standards:

- ISO 14025 Environmental labels and declarations Type III environmental declarations
- ISO 14040:2006 Environmental management Life cycle assessment Principles and framework
- ISO 14044:2006 Environmental management Life cycle assessment Requirements and guidelines

LCIA method and LCI database:

- ILCD HANDBOOK, European Commission, Joint Research Centre, Institute for Environment and Sustainability. ILCD Handbook: General Guide for Life Cycle Assessment Detailed Guidance. European Union, March 2010, 394p.
- IMPACT 2002+ V2.10 method: JOLLIET, O., MARGNI, M., CHARLES, R., HUMBERT, S., PAYET, J., REBITZER, G. et ROSENBAUM, R. (2003). IMPACT 2002+: A New Life Cycle Impact Assessment Methodology. International Journal of Life Cycle Assessment 8(6) p.324-330.
- Eco-Invent v2.2 LCI database: Swiss Centre for Life Cycle Inventories, Duebendorf, CH www.ecoinvent.ch

End-of-life scenario:

 Mainly based on Eurostat data for the European market http://epp.eurostat.ec.europa.eu/portal/page/portal/waste/data/wastemanagement/waste_treatment

Contact

For further questions, please contact: ${\bf epd@steelcase.com}$

Steekcase®

Visit Steelcase.com



facebook.com/Steelcase



twitter.com/Steelcase



youtube.com/SteelcaseTV